

SAFETY DATA SHEET



---

Version 1.0

Date: 9/1/2015

---

**SECTION 1. IDENTIFICATION**

Product name — PATINA STAIN – English Amber

**Manufacturer's or distributor's details:**

Company:

**Redeckit, LLC**

325 Commerce Blvd.

Liverpool, New York 13088

Phone: 315-641-1916

Toll Free: 1-800-451-9037

Fax: 315-451-2290

E-mail: [info@redeckit.com](mailto:info@redeckit.com)

Website: [www.redeckit.com](http://www.redeckit.com)

**Emergency telephone number:**

Emergency number CHEM-TEL 800-255-3924

**Recommended use of the chemical and restrictions on use**

Recommended use: Concrete stain

Restrictions on use: This product must not be used in applications other than the above without first seeking the advice of the manufacturer.

---

## **SECTION 2. HAZARDS IDENTIFICATION**

### **HYDROCHLORIC ACID**

**GHS label elements, including precautionary statements:**

**Signal word: Danger**

**Pictogram(s):**



**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

**Hazard statements**

H315 Causes skin irritation

H318 Causes serious eye damage.

**Precautionary statements**

P280 Wear protective gloves/eye protection/face protection

P305+P351+P338 if in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. The quantities supplied in our products are unlikely to cause severe or immediate

health effects.

## **FERROUS SULPHATE**

### **GHS label elements, including precautionary statements:**

Signal word: **Warning**

### **Pictogram(s):**



### **GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

#### **Hazard statements**

Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

#### **Precautionary statements**

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P501 Dispose of contents/ container to an approved waste disposal plant.

## SODIUM DICHROMATE

### GHS label elements, including precautionary statements:

Signal word: **Danger**

### Pictograms:



### Hazard statements

#### Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272

Acute toxicity, Oral (Category 2), H300

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312  
Skin corrosion (Category 1B), H314  
Serious eye damage (Category 1), H318  
Respiratory sensitization (Category 1), H334  
Germ cell mutagenicity (Category 1B), H340  
Carcinogenicity (Category 1B), H350  
Reproductive toxicity (Category 1B), H360  
Specific target organ toxicity - repeated exposure, Inhalation (Category 1), H372  
Acute aquatic toxicity (Category 1), H400  
Chronic aquatic toxicity (Category 1), H410

### **Precautionary statements**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat.  
P220 Keep/store away from clothing/combustible materials.  
P221 Take any precaution to avoid mixing with combustibles.  
P260 Do not breathe dust/ fume/gas/mist vapors/spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P285 In case of inadequate ventilation, wear respiratory protection.  
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.  
P308 + P313 IF exposed or concerned: Get medical advice/attention.  
P363 Wash contaminated clothing before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
P391 Collect spillage.  
P405 Store locked up.  
P501 Dispose of contents/ container to an approved waste disposal plant.

--

---

**SECTION 3. COMPOSITION/INFORMATION  
ON INGREDIENTS**

Substance/Mixture: Mixture

**Hazardous components**

<b>Component</b>	<b>% (w/w)</b>	<b>Exposure Limits</b>
Hydrochloric acid (CAS No.7647-01-0)	2-3	OSHA PEL-TWA 5ppm ceiling ACGIH TLV-TWA 5ppm ceiling
Ferrous sulphate (CAS No7720-78-7)	21-25	OSHA PEL-TWA 1 mg/m <sup>3</sup> for iron dusts and mists as Fe ACGIH TLV-TWA 1 mg/m <sup>3</sup> for iron dusts and mists as Fe
Sodium dichromate (CAS No 10588-01-9)	1-2	OSHA PEL-TWA 0.1 mg/m <sup>3</sup> ceiling for chromates, as CrO <sub>3</sub> ACGIH TLV-TWA 0.05 mg/m <sup>3</sup> as Cr

**HMIS® III (HAZARDOUS MATERIALS INFORMATION SYSTEM) HAZARD  
INDEX:**

HEALTH: 3 - Major injury likely unless prompt action is taken and medical  
treatment given

FLAMMABILITY: 0 - Will not burn.

PHYSICAL HAZARD: 1 – Normally stable but can become unstable at high temperatures and pressures. May react non-violently with water.

#### **SECTION 4. FIRST-AID MEASURES**

**Inhalation:** Take precautions to ensure your own safety before attempting rescue. Wear appropriate personal protective equipment and use the 'buddy' system. Remove victim to fresh air. If breathing has stopped, begin artificial respiration, or if the heart has stopped, begin cardiopulmonary resuscitation (CPR) immediately. Oxygen should be administered by a trained person. Ensure victim is completely at rest - allow no physical exertion. Symptoms may be delayed for up to 48 hours. Immediately transport victim to an emergency medical facility.

**Ingestion:** Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or is convulsing. Have victim rinse mouth thoroughly with water. Do not induce vomiting. Have victim drink 300 mL (10 oz.) of water. If milk is available, administer AFTER the water. If vomiting occurs naturally, have the victim lean forward to reduce risk of aspiration. Repeat administration of water. Immediately transport to emergency medical facility.

**Skin Contact:** Avoid direct contact. Wear impervious protective gloves if necessary. Immediately flush contaminated areas with lukewarm, gently running water for at least 20 minutes. Under running water, remove contaminated clothing, shoes, and leather goods such as watchbands and belts.

**Do not interrupt flushing** - have emergency vehicle wait if necessary. Transport victim to emergency medical facility. Decontaminate clothing, shoes and leather goods before reuse or discarding.

**Eye Contact:** Immediately flush contaminated eye(s) with lukewarm, gently running water for at least 30 minutes while holding the eyelid(s) open. Take care not to rinse contaminated water into a non-affected eye. Neutral saline solution may be used for flushing if available. Do not interrupt flushing - keep emergency vehicle **waiting if necessary. If irritation persists, repeat flushing. Transport victim to emergency medical facility.**

**General Comments:** Provide general supportive measures (comfort, warmth, rest). Seek medical attention for all exposures except minor instances of inhalation or skin contact. First-aid procedures should be reviewed by appropriate personnel familiar with hydrochloric acid and its conditions of use in the workplace.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

**Flash point:** Not Applicable

**Auto-ignition temperature:** Not applicable. See information under "Fire Fighting Instructions

**Lower Explosive Limit:** Not established

**Upper Explosion Limit:** Not established

**Sensitivity to Impact:** Not sensitive.

**Sensitivity to Static Discharge:** Not sensitive.

**Hazardous Combustion Products:** None. See Hazardous Decomposition Products in Section 10, for information on thermal decomposition.

**Extinguishing Media:** No specific recommendation. Use media to suppress surrounding fire.

**Fire Fighting Instructions:** Wear adequate personal protective equipment. Use water to keep

fire-exposed containers cool to prevent rupture. Use water spray or fog to reduce or direct vapors. Do not direct water at source of leak. Trained personnel may neutralize a spill. Contact with common metals produces hydrogen gas that may form explosive mixtures in air.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

**Personal Protection:** Evacuate unnecessary personnel from spill area and keep unprotected persons upwind. Wear appropriate personal protective equipment. Ventilate area. Vapour is heavier than air and will collect in low areas. Do not touch spilled hydrochloric acid.

**Environmental Precautions:** Implement spill control plan. Stop or reduce leak if safe to do so. Prevent from entering sanitary or storm sewers, waterways, or confined spaces. Use inert materials such as earth or sand to form dike.

**Remedial Measures:** Restrict access to area until completion of cleanup. Ensure cleanup is conducted by trained personnel only. Use all appropriate personal protective equipment. For small spills: absorb with neutralizing materials such as soda ash or lime and collect in sealed containers. Flush area with water. For large spills, contain and collect spilled material if possible. Notify government occupational health and safety and environmental authorities as per applicable regulations. In the United States, releases over 5,000 pounds must be reported to the National Response Center at 1-800-424-8802.

## SECTION 7. HANDLING AND STORAGE

**Handling Procedures:** Prevent release of vapor or mist into workplace air. Ensure adequate ventilation. Have emergency equipment readily available. When diluting, slowly add acid to the water to avoid boiling or splattering. Keep containers closed when not in use. Wash face and hands thoroughly after handling and before eating, drinking, or using tobacco products.

**Storage:** Store in a cool, dry, well ventilated area, out of direct sunlight and away from heat sources. Store away from incompatible materials such as oxidizing materials, reducing materials, and strong bases. Keep storage area separate from populated work areas.

## SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Engineering Controls:** Use general or local exhaust ventilation to maintain exposure below the exposure limits.

**Respiratory Protection:** If respiratory protection is required, NIOSH recommends for hydrogen chloride in air:

Up to 50 ppm: Chemical cartridge respirator with hydrogen chloride cartridge(s), powered air-purifying respirator with appropriate cartridge(s), Supplied Air Respirator (SAR), or a full face-piece SCBA.

IDLH Conditions (50 ppm) or Planned Entry in Unknown Concentrations: Positive pressure, full face-piece SCBA, or positive pressure full face-piece SAR with an auxiliary positive pressure SCBA.

**Escape:** Gas mask with canister, or escape type SCBA.

NOTE: Air purifying respirators do not protect against oxygen deficient atmospheres.

**Skin protection:** Wear impervious gloves and boots and/or other protective clothing according to circumstances.

**Eye and Face Protection:** Eye protection is required. Chemical safety goggles are recommended. The wearing of contact lenses is not recommended.

**Footwear:** As required by worksite rules.



**Other:** Have a safety shower and eye wash station readily available in the immediate work area.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear amber liquid (English Amber)

**Odor:** Acrid odor

**Odor Threshold:** Not determined

**pH:** < 1

**Vapor Pressure:** Not determined

**Solubility:** Completely soluble in water

**Vapor Density:** Not determined

**Freezing Point:**  $\approx 0^{\circ}\text{C}$

**Boiling Point:**  $108^{\circ}\text{C}$

**Critical Temperature:** Not applicable.

**Relative Density:**  $\approx 1.18$  (water = 1)

**Partition Coefficient:** No data

**Evaporation Rate:** Not determined

## SECTION 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable. Avoid heat – releases toxic gases with heat.

**Incompatibility:** Very corrosive to most metals, producing flammable hydrogen gas. Reacts violently with bases to produce heat. Reacts with reducing agents to produce heat, fire and flammable hydrogen gas. Reacts with oxidizing agents to produce heat. Reacts with carbides, turpentine, phosphorus hydrogen sulphide, organic materials, and alkalis. Contact with explosives may cause detonation. Reacts with cyanides to produce toxic cyanide gas, and sulphides to produce toxic hydrogen sulphide gas.

**Hazardous Decomposition Products:** Thermal decomposition liberates toxic corrosive fumes of hydrogen chloride, chlorine: manganese, iron and chromium oxides.

**Hazardous Polymerization:** Will not occur

## SECTION 11. TOXICOLOGICAL INFORMATION

**Acute Exposure:** The theoretical  $\text{LD}_{50}$  (rat/oral) for Patina Stain is 2618 mg/kg

**Chronic Exposure:** See Section 3.

**Exposure Limits:** See Section 2.

**Irritancy:** See Section 3.

**Sensitization:** See Section 3.

**Carcinogenicity:** None reported for this valence of chromium.

**Teratogenicity:** None

**Reproductive toxicity:** Not available

**Mutagenicity:** None

**Synergistic products:** None reported.

## SECTION 12. ECOLOGICAL INFORMATION

**Environmental toxicity:** Moderate toxicity to aquatic life.

**Biodegradability:** Expected to bioaccumulate.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Place used and contaminated material and packagings into suitable containers and dispose of as controlled waste. Review and follow all local, state, and national regulations.

## **SECTION 14. TRANSPORT INFORMATION**

**Department of Transport (49 CFR):** Corrosive Liquid, Acidic, Inorganic, n.o.s. (contains ferrous sulphate and hydrochloric acid), Class 8, UN 3264, P.G. II, RQ 4.54 kg (sodium dichromate), or 250 liters of Patina Stain

**International Air Transport Association (IATA):** Corrosive Liquid, Acidic, Inorganic, n.o.s. (contains ferrous sulphate and hydrochloric acid), Class 8, UN 3264, P.G. II

**International Maritime Organization (IMO):** Corrosive Liquid, Acidic, Inorganic, n.o.s. (contains ferrous sulphate and hydrochloric acid), Class 8, UN 3264, P.G. II

## **SECTION 15. REGULATORY INFORMATION**

### **UNITED STATES – FEDERAL REGULATIONS:**

**TOXIC SUBSTANCES CONTROL ACT (TSCA):** All components are listed in the inventory.

**OSHA, 29 CFR 1910, Subpart Z:** Meets the criteria for a hazardous substance.

**CERCLA, 40 CFR 302:** Hydrochloric Acid, 2270 Kg (5000 pounds), Sodium dichromate 4.54 kg, (10 pounds)

**SARA 302, 40 CFR 355:** No ingredients listed

**SARA 313, 40 CFR 372:** Hydrochloric Acid is subject to the reporting requirements.

**SARA 311/312, 40 CFR 370:** Immediate (Acute) Health, Delayed (Chronic) Health.

## **SECTION 16. OTHER INFORMATION**

**Preparation Date:** Sept. 1, 2015

**Prepared by:** Lou Sorendo, 185 E. Seneca St., Oswego, N.Y. 13126

**Comments:** This Safety Data Sheet was prepared using information provided by The Sealer Depot. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. The Sealer Depot expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.